



INDIANA STATE DEPARTMENT OF HEALTH LABORATORIES

VIROLOGY/IMMUNOLOGY REQUEST FORM (317) 233-8000

State Form 35212 (R3/5-03)

ISDH Lab No. _____

Date Recv'd _____

DATE OF ONSET MUST BE PROVIDED FOR TESTING

SPECIMENS/FORM WITHOUT NAME AND DATE OF COLLECTION WILL NOT BE ANALYZED

Patient's Name _____			
(Last)	(First)	(Middle)	
Birthdate _____	Race _____	Sex _____	County _____ Occupation _____

Date of onset _____ / ____ / ____	Type of Specimen: _____
Collection Date: <input type="checkbox"/> Specimen _____ / ____ / ____	Source of Specimen: _____
<input type="checkbox"/> Acute serum _____ / ____ / ____	
<input type="checkbox"/> Convalescent serum _____ / ____ / ____	
Specific Agent Suspected : _____	

LABORATORY EXAMINATIONS AVAILABLE

SEROLOGY		
<input type="checkbox"/> Adenovirus <input type="checkbox"/> Arbovirus (EEE, WEE, SLE, CE, and WNV) <input type="checkbox"/> Coronavirus (SARS-CoV, Urbani strain) <input type="checkbox"/> Coxiella (Q-Fever) <input type="checkbox"/> Ehrlichia <input type="checkbox"/> Hantavirus <input type="checkbox"/> Histoplasma	<input type="checkbox"/> Influenza virus <input type="checkbox"/> Legionella <input type="checkbox"/> Mumps <input type="checkbox"/> IgM <input type="checkbox"/> IgG <input type="checkbox"/> Mycoplasma pneumoniae <input type="checkbox"/> Parainfluenza virus <input type="checkbox"/> Respiratory Syncytial Virus (RSV) <input type="checkbox"/> Rocky Mt. Spotted Fever	<input type="checkbox"/> Rubella <input type="checkbox"/> IgM <input type="checkbox"/> IgG <input type="checkbox"/> Rubeola <input type="checkbox"/> IgM <input type="checkbox"/> IgG <input type="checkbox"/> Typhus <input type="checkbox"/> West Nile Virus <input type="checkbox"/> Varicella (VZV) <input type="checkbox"/> IgM <input type="checkbox"/> IgG <input type="checkbox"/> Other _____

CULTURE	Preferred Source	Preferred Source
<input type="checkbox"/> Adenovirus <input type="checkbox"/> Cytomegalovirus (CMV) <input type="checkbox"/> Enterovirus (Coxsackievirus, Echovirus) <input type="checkbox"/> Herpes Simplex (HSV) <input type="checkbox"/> Influenza virus <input type="checkbox"/> Measles	<input type="checkbox"/> Mumps <input type="checkbox"/> Parainfluenza virus <input type="checkbox"/> Respiratory Syncytial <input type="checkbox"/> Rubella <input type="checkbox"/> Varicella virus (VZV) <input type="checkbox"/> Other _____	Nasopharyngeal (NP)

PCR	Preferred Source	
<input type="checkbox"/> Norovirus <input type="checkbox"/> Mycoplasma pneumoniae	<input type="checkbox"/> Stool <input type="checkbox"/> Nasopharyngeal (NP)	<input type="checkbox"/> Other _____

SYMPTOMS

General <input type="checkbox"/> Fever (°) <input type="checkbox"/> HeadAche <input type="checkbox"/> Sore Throat <input type="checkbox"/> Cough <input type="checkbox"/> Myalgia <input type="checkbox"/> Anorexia <input type="checkbox"/> Otitis <input type="checkbox"/> Parotitis	CNS <input type="checkbox"/> Encephalitis <input type="checkbox"/> Meningitis <input type="checkbox"/> Neck Rigidity <input type="checkbox"/> Seizures <input type="checkbox"/> Paralysis <input type="checkbox"/> Chorea	Exanthema <input type="checkbox"/> Maculopapular <input type="checkbox"/> Papular <input type="checkbox"/> Hemorrhagic <input type="checkbox"/> Vesicular <input type="checkbox"/> Petechial <input type="checkbox"/> Erythema Migrans <input type="checkbox"/> Oral Lesion <input type="checkbox"/> Genital Lesion	Ocular <input type="checkbox"/> Conjunctivitis <input type="checkbox"/> Chorioretinitis <input type="checkbox"/> Blurred Vision Organomegaly <input type="checkbox"/> Splenomegaly <input type="checkbox"/> Hepatomegaly <input type="checkbox"/> Orchitis	State of Illness <input type="checkbox"/> Symptomatic <input type="checkbox"/> Asymptomatic <input type="checkbox"/> Chronic <input type="checkbox"/> Localized <input type="checkbox"/> Disseminated
Respiratory <input type="checkbox"/> Common Cold <input type="checkbox"/> Acute Resp. Dis. <input type="checkbox"/> Bronchitis <input type="checkbox"/> Pneumonitis <input type="checkbox"/> Pharyngitis <input type="checkbox"/> Upper Resp. Inf.	Gastrointestinal <input type="checkbox"/> Nausea <input type="checkbox"/> Vomiting <input type="checkbox"/> Diarrhea <input type="checkbox"/> Abdominal Pain <input type="checkbox"/> Constipation <input type="checkbox"/> Gastroenteritis	Cardiovascular <input type="checkbox"/> Myocarditis <input type="checkbox"/> Pericarditis <input type="checkbox"/> Endocarditis <input type="checkbox"/> Cardiomegaly	Miscellaneous <input type="checkbox"/> Jaundice <input type="checkbox"/> Lymphadenopathy <input type="checkbox"/> Pleurodynia <input type="checkbox"/> Other _____	

COMPLETE THE INFORMATION ON THE REVERSE SIDE OF THIS FORM

Please Include Species Information and Dates of Contact/Exposure

<input type="checkbox"/> Contact With And / Or <input type="checkbox"/> Exposure To	Insects _____	Birds _____
	Animals _____	Human Cases _____
	Other _____	_____

Similar Infection: Family? No () Yes (): Or Community? No () Yes ()

Recent travel? No () Yes () Location/Date: _____

Treatment:	Drugs Used	<input type="checkbox"/> None	Date Begun (Month/Day/Year)	Date Completed (Month/Day/Year)
1.	_____	_____	_____	_____
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____

Related Immunizations	Month/Year	Recent Vaccinations	Month/Year
1.	_____	1.	_____
2.	_____	2.	_____
3.	_____	3.	_____

Submitting Lab _____

Address _____

Phone _____

Fax _____

Contact Person _____

Physician's Name _____

Address _____

Phone _____

Fax _____

MAILING ADDRESS

Indiana State Department of Health
Virology/Immunology
P.O. Box 7203
Indianapolis, Indiana 46707-7203

SHIPPING ADDRESS (FOR COURIER/DROP-OFF)

Indiana State Department of Health
Virology/Immunology
635 North Barnhill Drive, Room MS2023
Indianapolis, Indiana 46202

SPECIAL INSTRUCTIONS

SEROLOGY/VIRAL ANTIBODY

Submit 3 ml serum collected at onset of illness followed by a convalescent serum drawn 2-3 weeks later (3-4 weeks for Legionnaires Disease). Alternatively, hold the acute for the convalescent serum and send together. Use sterile tubes with leakproof screw cap lids.

Serum specimens may be shipped without refrigeration in suitable mailing containers (e.g., ISDH type 9A)

VIRUS CULTURE

Collect specimen for virus culture as early as possible in the acute stage of illness. The usual specimens collected, depending on the virus suspected: NP swabs or throat swabs, stools or rectal swabs, cerebrospinal fluid, effusion fluid, vesicle fluids, lesion swabs or scrapings, biopsy tissue, and post mortem tissues. Use viral transport media for all swabs.

Refrigerate specimens for virus culture immediately after collection. Ship specimens within 24 hours, using ice packs in a heavily insulated box. Pack to prevent breakage or spillage and to conform to shipping regulations.

Freeze specimens for virus culture if they cannot be delivered within 24 hours. Ship frozen specimens on 10 lb. dry ice in a heavily insulated box. **Do not ship on Friday**, hold in freezer for Monday shipping.

MOLECULAR/PCR

Norovirus stool specimens must remain cold from collection to delivery and be delivered within 24 hours of collection. Use container 7A.

Mycoplasma pneumoniae nasopharyngeal (NP) swabs in M4-3 transport media must remain cold from collection to delivery and be delivered within 24 hours of collection.

Ship for overnight delivery. **Do not ship on Friday**. Insulated containers must be enclosed within a cardboard outer shipping container.